

F-06/02

Issue Date: 10/08/15

Rev. No: 07 LAB 024

Accreditation No: LAB 024

Awarded to

FOOD AND BIOTECHNOLOGY RESEARCH CENTRE (FBRC), Pakistan Council of Scientific & Industrial Research (PCSIR) Laboratories Complex, Lahore 54600, Pakistan.

The scope of accreditation is in accordance with the standard specifications outlined in the following page(s) of this document. The accredited scope shall be visible and legible in areas such as customer service, sample-receiving section etc and shall not mislead its users.

The accreditation was first time granted on **24-08-2006** by Pakistan National Accreditation Council.

The laboratory complies with the requirements of **ISO/IEC 17025:2005.**

The accreditation requires regular surveillance, and is valid until 16-06-2022.

The decision of accreditation made by Pakistan National Accreditation Council implies that the organization has been found to fulfill the requirements for accreditation within the scope.

The organization however, itself is responsible for the results of performed measurements/tests.

PAKISTAN NATIONAL ACCREDITATION COUNCIL

17-06-2019	
Date	Director General



F-06/02

Issue Date: 10/08/15

Rev. No: 07 LAB 024

Testing Laboratory.

Accreditation scope of Food and Biotechnology Research Centre (FBRC), Pakistan Council of Scientific & Industrial Research (PCSIR) Laboratories Complex, Lahore 54600, Pakistan.

Permanent laboratory premises X

J	Permanent laboratory premises X			
Materials /Products tested	Testing field (e.g. environmental testing or mechanical testing)	Types of test/ Properties measured	Reference to standardized method (e.g. ISO 14577-1:2003)/ Internal method reference	
	8 /	1. Microbiology Laborato		
Food	Microbiological testing	Enumeration of total plate count in food	FAO:1992.	
		Enumeration of Total Coliforms, Fecal coliforms and <i>E.coli</i> in food	FAO:1992.	
water	Microbiological testing	Enumeration of total plate count in water	APHA/AWWA, 9215-B	
		Enumeration of Total Coliforms, Fecal Coliforms and <i>E.coli</i> in water	APHA/AWWA, 9221B, E & F	
Food	Microbiological testing	Detection of Salmonella spp. in food	FAO:1992.	
1000	Wicrobiological testing	Enumeration of Staphylococcus aureus in food	FAO:1992.	
		Enumeration of yeast and mold in food	FAO:1992.	
water	Microbiological testing	Enumeration of Pseudomonas aerogenosa/spp. in water	APHA/AWWA, 9213 F	
	2.	Nutrition Laboratory		
		Estimation of Moisture (%)	AOAC. 925.10	
Cereals		Estimation of Ash (%)	AOAC. 923.03	
		Determination of Protein (%)	AOAC. 960.25	



F-06/02

Issue Date: 10/08/15

Rev. No: 07 LAB 024

Materials /Products tested	Testing field (e.g. environmental testing or mechanical testing)	Types of test/ Properties measured		ce to standardized method O 14577-1:2003)/ Internal method reference
		Estimation of Fat (%)	AOAC.	920.39
Animal feed Nutritional testing	Estimation of Moisture (%)	AOAC. 934.01		
	Estimation of Ash (%)	AOAC. 942.05		
		Determination of Protein (%)	AOAC.	960.52
		Estimation of Fat (%)	AOAC.9	20.39
	3.	Mycotox	xin Labor	atory
Food items (Cereals, Mycotoxin Testing Groundnut		Determination of Aflatoxin I Determination of Aflatoxin I Determination of Aflatoxin (32	
,Chilli and Spices etc.)		Determination of Aflatoxin (G2	
Milk		Determination of M-1		AOAC 974.17 ;2016
	4.	Food and V	Vater Lab	ooratory
Dried food (Atta, Maida,wh eat grains etc.)	Nutritional testing	Estimation of Phytate in foods	AOAC 986.11	
		5. Dairy Laboratory		
Milk Nutritional Composition		Determination of Total Solids(%)	AOAC.990.19:	
	Nutritional Composition	Determination of Protein(%)	AOAC.991.20	
	r	Determination of Ash(%)	AOAC.945.46	
	Determination of Fat(%)	AOAC 2000.18		

17-06-2019
Date



F-06/02 Issue Date: 10/08/15

Rev. No: 07 LAB 024

Materials /Products tested	Testing field (e.g. environmental testing or mechanical testing)	Types of test/ Properties measured	Reference to standardized method (e.g. ISO 14577-1:2003)/ Internal method reference
6. Plant Bio-Technology Resource Laboratory			
		Ocular irritation	
Pesticides	Toxicological Study	Acute oral LD ₅₀	
Rodenticide	_	Acute dermal irritation	O. E. C. D. 402
		Acute percutaneous LD ₅₀	

17-06-2019

Date

Director