

	<p style="text-align: center;">ACCREDITATION DOCUMENT</p>	<p>F-06/02 Issue Date: 18/08/2020 Rev. No: 09 LAB 304</p>
---	--	--

Accreditation No: LAB 304

Awarded to

POL & Food Laboratories
ASC School, ASC Housing Society Nowshera Phase 2,
Nowshera Cantonment, Khyber Pakhtunkhwa, Pakistan

The scope of accreditation is in accordance with the standard specifications outlined in the following page(s) of this document. The accredited scope shall be visible and legible in areas such as customer service, sample-receiving section etc. and shall not mislead its users.

The accreditation was first time granted on **18-03-2024** by Pakistan National Accreditation Council.

The laboratory complies with the requirements of **ISO/IEC 17025:2017**.

The accreditation requires regular surveillance, and is valid until **17-03-2027**.

The decision of accreditation made by Pakistan National Accreditation Council implies that the organization has been found to fulfill the requirements for accreditation within the scope.

The organization however, itself is responsible for the results of performed measurements/tests.

PAKISTAN NATIONAL ACCREDITATION COUNCIL

16-05-2025
Date

SD
Director General

	ACCREDITATION DOCUMENT	F-06/02 Issue Date: 18/08/2020 Rev. No: 09 LAB 304
---	-----------------------------------	---

Testing Laboratory.

Accreditation Scope of POL (PETROLEUM, OIL, LUBRICANTS) & FOOD LABORATORIES, ASC School ASC Housing Society Nowshera Phase 2 Nowshera Cantonment, Khyber Pakhtunkhwa Pakistan

Permanent laboratory premises ☒

Materials/ Products tested	Testing field (e.g. environmental testing or mechanical testing)	Types of test/ Properties measured	Reference to standardized method (e.g. ISO 14577- 1:2003)/ Internal method reference
Fuels, Diesel Oil & Lubricants	Petrochemical	Flash point(P.M.M.C)	ASTM D-93
		Pour point	ASTM D-97
		Density test	ASTM D- 4052
		Kinematic Viscosity at 40 °C	ASTM D- 445
Edible Oil & Fats	Food Chemical testing	Moisture	AOCS Ca 2b-38
		Free fatty acid	AOAC – 940.28
		Saponification	AOAC – 920.160
		Iodine value	AOAC – 920.159

16-05-2025
Date

Sd
Director