



## ACCREDITATION DOCUMENT

F-06/06  
Issue Date: 30-03-2017  
Rev. No: 01  
ML 059

**Accreditation No: ML 059**

**Awarded to**

**INTEGRATED MEDICAL CARE HOSPITAL  
Diagnostic & IVF Labs, F-153/1, St. 06, Phase 5  
Lahore, Pakistan.**

The scope of accreditation is in accordance with the standard specifications outlined in the following page(s) of this document. The accredited scope shall be visible and legible in areas such as customer service, sample-receiving section etc and shall not mislead its users.

The accreditation was first time granted on **02-01-2026** by Pakistan National Accreditation Council.

The laboratory complies with the requirements of **ISO 15189:2022**.

The accreditation requires regular surveillance, and is valid until **01-01-2029**.

The decision of accreditation made by Pakistan National Accreditation Council implies that the organization has been found to fulfill the requirements for accreditation within the scope.

The organization however, itself is responsible for the results of performed tests.

**PAKISTAN NATIONAL ACCREDITATION COUNCIL**

**02-01-2026**

**Date**

**-SD-**

**Director General**



# ACCREDITATION DOCUMENT

F-06/06  
Issue Date: 30-03-2017  
Rev. No: 01  
ML 059

## Medical Laboratory.

Accreditation Scope of M/s INTEGRATED MEDICAL CARE HOSPITAL  
**Diagnostic & IVF Labs, F-153/1, St. 06, Phase 5**  
**Lahore, Pakistan.**

Permanent laboratory premises

### Field of Medical Testing Laboratory:

Materials tested	Testing field (e.g. Chemical, Micro etc)	Types of test/ Properties measured	Reference to standardized method/ Internal method reference
Serum	Clinical Chemistry	UREA	Cobas C311 – Urease/Gldh
Serum	Clinical Chemistry	CREATININE	Cobas C311 – Jaffé Kinetic Method
Serum	Clinical Chemistry	ALBUMIN	Cobas C311 – Bcg Dye Binding Method
Serum	Clinical Chemistry	AST	Cobas C311 – Enzymatic Kinetic Method
Serum	Clinical Chemistry	ALT	Cobas C311 – Enzymatic Kinetic Method
Serum	Clinical Chemistry	BILIRUBIN TOTAL	Cobas C311 – Diazo Reaction
Serum	Clinical Chemistry	BILIRUBIN DIRECT	Cobas C311 – Diazo Reaction
Serum	Clinical Chemistry	ALP	Cobas C311 – Enzymatic Colorimetric Method
Serum	Clinical Chemistry	GGT	Cobas C311 – Enzymatic Kinetic Method
Serum	Clinical Chemistry	TOTAL PROTEIN	Cobas C311 – Biuret Reaction

02-01-2026

Date

-Sd-

Director



# ACCREDITATION DOCUMENT

**F-06/06**  
**Issue Date: 30-03-2017**  
**Rev. No: 01**  
**ML 059**

Whole Blood	Haematology	HEMOGLOBIN	Sysmex Xn-550 – Optical + Impedance Detection
Whole Blood	Haematology	WBCS	Sysmex Xn-550 – Fluorescence Flow Cytometry
Whole Blood	Haematology	PLATELETS	Sysmex Xn-550 – Impedance Method
Whole Blood	Haematology	RBCS	Sysmex Xn-550 – Impedance Detection
Semen	Microbiology	Semen Analysis	Manual Microscopy

02-01-2026

Date

-Sd-

Director