

Accreditation No: LAB-059

Awarded to

QAD Laboratory of Peoples Steel Mills Ltd. Karachi-Pakistan

The scope of accreditation is in accordance with the standard specifications outlined in the following page(s) of this document. The accredited scope shall be visible and legible in areas such as customer service, sample-receiving section etc and shall not mislead its users.

The accreditation was first time granted on **09-01-2013** by Pakistan National Accreditation Council.

The laboratory complies with the requirements of **ISO/IEC 17025:2017**

The accreditation requires regular surveillance, and is valid until 27-03-2028

The decision of accreditation made by Pakistan National Accreditation Council implies that the organization has been found to fulfill the requirements for accreditation within the scope.

The organization however, itself is responsible for the results of performed measurements/tests.

PAKISTAN NATIONAL ACCREDITATION COUNCIL

09-04-2025 Date SD

Director General



Testing Laboratory

Accreditation Scope of QAD Laboratory of Peoples Steel Mills Ltd. Karachi-Pakistan y premises X

Permanent laboratory premises

Materials/Pr oducts tested	Testing field (e.g. environmental testing or mechanical testing)	Types of test/ Properties measured	Reference to standardized method (e.g. ISO 14577- 1:2003)/ Internal method reference
	1-Chemical test by Optical Emission Spectrometer	Elemental Analysis Al, As, B, C, Co, Cr, Cu, Mn, Mo, Ni, P, S, Si, Sn, Ti,V and W	ASTM- E-1009, E 415
	2-Gas Analysis	Carbon Sulphur, Oxygen, Nitrogen and Hydrogen	ASTM- E1019,
Metallic Materials	3-Mechenical Testing	Tensile Test Yield Test % elongation Reduction Area Bend Test. HRC,HB,HRB Impact test	ASTM E10,E18, E23, A 370, ISO6892-1, ISO6506, ISO6508
	4- Metallographic Testing	Grain size, metals & oxide coating thickness, microstructure of graphite (flakes), Depth of Decarburization, Micro Hardness(HVN)	ASTM E3, 407, E340, E112, E384, E1077, A247, B48758
	5-Wet Chemical Analysis	Fe Mn (H/C) Fe Cr (H/C)	ASTM- E31, E363